



92
B/IFW

Docket No.: 32014-178508
(PATENT)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:
Yoshihiro Ariyama

Application No.: 10/080,657

Allowed: April 26, 2002

Filed: February 25, 2002

Art Unit: 2644

For: METHOD AND APPARATUS FOR ECHO
CANCELLATION

Examiner: R. P. Singh

RE-SUBMISSION OF SUBSTITUTE DRAWINGS

MS PGPUB Drawings
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

Submitted herewith is one set (five sheets, five figures) of substitute drawings for filing in the above-identified Patent application as required in the Notice of Allowance.

The drawing changes incorporated in the substitute drawings were approved by the Examiner in the Office Action dated October 24, 2003 (Paper No. 4) and were originally filed with the Amendment of February 23, 2004. As Formal Drawings were timely filed before a Notice of Allowance, Applicant respectfully requests PTA be accorded in this application. If required, please consider this paper a Petition Under 37 C.F.R. 1.705.

Application No.: 10/080,657

Docket No.: 32014-178508

Please cancel the drawings previously filed in this application.

Dated: June 8, 2005

Respectfully submitted, —

By 
Jeffri A. Kaminski

Registration No.: 42,709
VENABLE LLP
P.O. Box 34385
Washington, DC 20043-9998
(202) 344-4000
(202) 344-8300 (Fax)
Attorney/Agent For Applicant